

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : A23D 9/00, A21D 13/08	A1	(11) International Publication Number: WO 92/18015 (43) International Publication Date: 29 October 1992 (29.10.92)
(21) International Application Number: PCT/US92/03054 (22) International Filing Date: 14 April 1992 (14.04.92) (30) Priority data: 685,442 15 April 1991 (15.04.91) US (71) Applicant: BUNGE FOODS CORPORATION [US/US]; 725 North Kinzie, Bradley, IL 60915 (US). (72) Inventor: BUSKEN, David ; 333 Walnut Ave., Azle, TX 76020 (US). (74) Agent: MEHLER, Raymond, M.; Lockwood, Alex, Fitz- gibbon & Cummings, Three First National Plaza, Suite 1700, Chicago, IL 60602 (US).		(81) Designated States: AT (European patent), BE (European patent), CA, CH (European patent), DE (European patent), DK (European patent), ES (European patent), FR (European patent), GB (European patent), GR (European patent), IT (European patent), LU (European patent), MC (European patent), NL (European patent), SE (European patent). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: LIQUID SHORTENING SYSTEM FOR BAKERY GOODS (57) Abstract A liquid shortening emulsifier system is prepared for incorporation into chemically leavened baking formulations in order to provide baked products exhibiting enhanced moistness, both initially and when subjected to normal storage conditions. The liquid shortening emulsifier system includes, in addition to vegetable oil components, a combination of propylene glycol monoesters and of polycarboxylic acid esters of mono-diglycerides, particularly diacetyl tartaric acid esters of mono-diglycerides, succinic acid esters of mono-diglycerides, and combinations thereof.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	RU	Russian Federation
CG	Congo	KP	Democratic People's Republic of Korea	SD	Sudan
CH	Switzerland	KR	Republic of Korea	SE	Sweden
CI	Côte d'Ivoire	LJ	Liechtenstein	SN	Senegal
CM	Cameroon	LK	Sri Lanka	SU	Soviet Union
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
DE	Germany	MC	Monaco	TG	Togo
DK	Denmark			US	United States of America

-1-

LIQUID SHORTENING SYSTEM FOR BAKERY GOODS

DescriptionBackground and Description of the Invention

This invention relates to a liquid shortening system for bakery goods, baked food products exhibiting enhanced moisture attributes, and a method for preparing such baked food products. More particularly, the shortening system is a liquid composition that imparts advantageous moistness to baked food products such as cakes and other chemically leavened bakery goods, which shortening system includes vegetable oil material as the principal component and combines therewith as emulsifiers both propylene glycol monoesters and polycarboxylic acid esters of mono-diglycerides such as diacetyl tartaric acid esters of mono-diglycerides.

It has long been an objective to provide bakery formulations and mixes which, when baked, possess what is considered to be a high level of moistness. Bakery products such as cakes and other chemically leavened products can be considered undesirable when they exhibit a crumbly texture and/or a gritty mouth feel. Mixes for cakes and the like have been offered which are directed toward the objective of enhanced moistness. U.S. Patent No. 4,456,626 describes a shortening system for cakes which is said to make them moist, light and tender. This shortening system requires substantial quantities of an emulsifier consisting essentially of hydrophilic polyglycerol esters (PGE) and propylene glycol monoesters (PGME), the composition specified in that patent including 2 to 7 times as much PGME as PGE, and relatively high levels of PGME are included within that shortening system. These types of shortening systems which include glycerol

-2-

and/or glycol esters do not provide all of the attributes desired for chemically leavened bakery items such as cakes.

5 It has now been determined that, by proceeding in accordance with the present invention, it is possible to provide a liquid shortening system that achieves desired improved moistness and improved keeping qualities for products baked from chemically leavened bakery mixes, particularly for cake products. The liquid shortening
10 system includes a substantial amount of vegetable oil composition together with an amount of propylene glycol monoesters and a lesser amount of polycarboxylic acid esters of mono-diglycerides. This combination enhances the moistness of bakery goods made from a typical baking
15 composition including flour, sugars and/or syrups or other sweetening agents, chemical leavening agents such as baking soda, water and other bakery mix ingredients.

It is a general object of the present invention to provide an improved liquid shortening system for
20 inclusion within batters for making chemically leavened bakery goods, to bakery mixes including such liquid shortening systems, and to baked goods prepared therefrom.

Another object of this invention is to provide a liquid shortening system which is added to a bakery mix,
25 which system includes a combination of emulsifier components that impart enhanced moistness and improved keeping quality to baked chemically leavened items incorporating same.

Another object of this invention is to utilize
30 in an improved shortening system a combination of ~~emulsifiers of the propylene glycol monoester variety and of the polycarboxylic acid esters of mono-diglyceride variety.~~

Another object of the present invention is to
35 provide an improved liquid shortening system which includes diacetyl tartaric acid esters of monoglycerides.

-3-

These and other objects, features and advantages of the present invention will be clearly understood through a consideration of the following detailed description.

5

Description of the Particular Embodiments

Compositions for baking products will typically include flour components, sugars and/or other sweetening and flavoring components, milk solids, egg materials, 10 chemical leavening agents such as a baking soda and/or a baking acid, water and shortening. Typically shortenings or shortening systems are fat or oil mixtures of fats and/or oils. The particular type of shortening system discussed herein is one wherein emulsifiers have been 15 added thereto. These baking compositions are then blended together and subjected to baking conditions in a manner well-known in the art.

Concerning these baking compositions, the relative amounts of each component are generally 20 appreciated in the art. Often, the component making up the greatest weight percentage of the baking composition is the sugar and/or syrup component, with flour being somewhat less but being the next largest percentage. Water and eggs are also major components but usually less 25 than the sugar and flour. A typical baking composition will contain between about 10 and about 20 weight percent of the shortening emulsifier system, preferably between about 11 and about 16 weight percent, based on the total weight of the baking composition. The remainder of the 30 components will make up a minor percentage of the baking composition.

With more particular reference to the emulsifier-containing shortening system according to the present invention, the principal component thereof in 35 terms of volume and/or weight is a vegetable oil composition, while emulsifiers make up a minor component and primarily the remainder of the shortening system. A

-4-

substantial proportion of the vegetable oil composition is a fluid or liquid vegetable oil, and the composition can also include as a minor component a plastic or hardstock fat or oil. Typical vegetable oils in this regard are selected from the naturally occurring liquid triglyceride oils such as soybean oil, canola or rapeseed oil, cottonseed oil, peanut oil, sesame oil, corn oil, sunflower seed oil and the like. Also available are coconut oil, palm oil and the like. The plastic or hard stock component which may be included within the vegetable oil composition will typically be a hydrogenated vegetable oil. Exemplary hardstocks are hydrogenated soybean oil, hydrogenated cottonseed oil and the like.

The vegetable oil composition typically will comprise at least about 85% by weight of the liquid shortening system. Preferably, the vegetable oil composition will make up at least about 90% by weight of the liquid shortening system, and the hardfat will typically make up not more than 5% by weight. The ratio of liquid oil component to hardstock component can vary between about 200:1 to 40:1, preferably between about 100:1 and 70:1.

The emulsifier components included within the liquid shortening system include the combination of propylene glycol monoesters (PGME) and of polycarboxylic acid esters of monoglycerides. Generally speaking, the composition will include a preferred ratio of propylene glycol monoesters to polycarboxylic acid esters of monoglycerides. A typical liquid shortening system according to the invention will include not more than about 10% by weight of propylene glycol monoesters and not more than about 5% by weight of polycarboxylic acid esters of monoglycerides. Preferably, the propylene glycol monoesters are present at a level of not greater than about 8% by weight. All of the weight percents specified herein are based upon the total weight of the liquid shortening system.

-5-

With more particular reference to what is meant by the term "propylene glycol monoesters", commercially available propylene glycol monoesters can also include minor amounts of monoglycerides and non-functional components. Typically, commercially available propylene glycol monoester emulsifiers contain between about 60 and about 90% propylene glycol monoesters per se and can include up to about 15% functional monoglycerides. Typically, any remaining components are non-functional in an emulsifier system of the type specified herein. The quantity of actual PGME present in the liquid shortening will be at least about 1.5 weight percent and often not more than about 6.5 weight percent.

The shortening emulsifier system of the invention includes at least one other specific type of emulsifier. More particularly, the shortening emulsifier system also includes polycarboxylic acid esters of mono-diglycerides. A minimum of 1 weight percent of these mono-diglyceride esters are included within the shortening emulsifier system, and typically not greater than about 5 weight percent, based upon the total weight of the liquid shortening system. The carboxylic acid moieties thereof should have a carbon chain length of at least 4 carbon atoms and typically not more than 12 carbon atoms. Especially preferred are diacetyl tartaric acid esters of mono-diglycerides and succinic acid esters of mono-diglycerides. Inclusion of the diacetyl tartaric acid esters of mono-diglycerides in combination with the PGME is believed to be especially effective in achieving the objectives of the present invention.

It is important that both the propylene glycol monoesters and the polycarboxylic acid esters of mono-diglycerides be included within the liquid shortening system. The ratio of propylene glycol monoesters to the esters of mono-diglycerides should be between about 0.2 to 1 and about 6 to 1, and preferably between about 0.4 to 1 and about 4 to 1. Generally speaking, it is preferred

-6-

that the combination of emulsifiers include both propylene glycol monoesters and diacetyl tartaric acid esters of mono-diglycerides. These compositions can also include each of the propylene glycol monoesters, the diacetyl tartaric acid esters of mono-diglycerides and the succinic acid esters of mono-diglycerides.

Other functional emulsifiers can be included, typically at generally low levels. Exemplary in this regard are the monoglycerides which are often included within commercial propylene glycol monoester emulsifiers. Other possible components include other mono-diglycerides and distilled monoglycerides. These additional components will typically be present at levels of not greater than about 5% by weight based upon the total liquid shortening composition weight.

It has been found that liquid shortening emulsifier systems in accordance with this invention result in improved moistness and improved keeping quality of cakes and the like baked from mixes incorporating the liquid shortening emulsifier system. Particular advantages can be realized in baking low-fat or so-called fat-free cakes and other chemically leavened bakery products. The moist quality imparted to the cake will remain even after extended-time storage of cakes or the like baked from mixes including the liquid shortening emulsifier system.

The following examples are illustrative of some of the aspects of the present invention.

Example 1

A liquid shortening emulsifier system was prepared by blending together 90% by weight of canola oil, 2% by weight of soybean hardfat, 2.0% by weight of diacetyl tartaric acid esters of mono-diglycerides, 2.0% by weight of succinic acid esters of mono-diglycerides, about 2.4% propylene glycol monoesters, about 0.6% monoglycerides, and a minor amount of non-functional

-7-

components originating primarily from the commercial emulsifier source of the propylene glycol monoesters and monoglycerides.

5 A quantity of 11.8% by weight of this liquid shortening emulsifier system was blended with the following "normal moistness" cake formulation ingredients: 23.5% by weight of flour, 28% by weight of sugar, 19.4% by weight of water, 13% by weight of eggs, 2.4% by weight of nonfat milk solids, 1.2% by weight of baking powder and 10 0.7% by weight of salt.

These same cake formulation ingredients were combined with commercial liquid shortenings formulated for baking uses, thereby providing control comparisons. One of the liquid shortening products was POUR 'N BAKE 15 (registered trademark) of Bunge Foods Corporation composed of about 85.6% by weight of canola oil, 4% by weight of soybean hardfat, 6% by weight of propylene glycol monoesters, about 1.5% monoglycerides and 0.4% distilled monoglycerides. The other control comparison liquid 20 shortening was FLUID FLEX (trademark) of Durkee Corporation. This liquid shortening is believed to be a blend of lactalated esters of mono and diglycerides.

Cakes baked from each of these three formulations were subjected to taste test panel 25 evaluations. The formulation according to the present invention was found to provide a cake that was judged to be significantly more moist than cakes prepared from each of the two control commercial liquid shortenings.

30 Example 2

Taste test panel evaluations described in connection with Example 1 were also conducted for cakes of the same formulation but including a liquid shortening emulsifier system containing the following components: 35 about 2.4% propylene glycol monoesters, 2.5% diacetyl tartaric acid esters of mono-diglycerides, about 0.6% monoglycerides and about 1.5% mono-diglycerides, together

-8-

with minor amounts of non-functional components. These cakes were found to exhibit good moistness qualities, although not as superior as those of the Example 1 formulation, but still of significantly improved moistness when compared with the cakes prepared from the batters including each of the two control commercial liquid shortening systems.

Example 3

Another liquid shortening emulsifier system was prepared as follows: 91.25% canola oil, 1% hydrogenated soybean hard fat, about 5.4% propylene glycol monoesters, 1.75% diacetyl tartaric acid esters of mono-diglycerides and about 0.3% monoglycerides. This liquid shortening emulsifier system was incorporated into two types of commercial layer cake formulas, one being for a rich white cake, and the other being for a yellow cake. Controls were also prepared by baking otherwise identical cakes which incorporated the FLUID FLEX commercial liquid shortening described in Example 1. Taste tests were conducted, and the expert panelists unanimously agreed that the cakes incorporating the liquid shortening emulsifier system of the invention were more moist than the cakes prepared with the control liquid shortening.

Example 4

The following liquid shortening emulsifier system was prepared: 91.25% soybean oil, 1% soybean hard fat, about 5.4% propylene glycol monoesters, 1.75% diacetyl tartaric acid esters of mono-diglycerides, about 0.3% monoglycerides, and minor amounts of non-functional components. This liquid shortening emulsifier system was incorporated into a cake formulation generally regarded as resulting in cakes that are not particularly moist when using other liquid shortening systems. Cakes baked from this formula but including this liquid shortening emulsifier system were found to exhibit noticeably

-9-

increased moistness. The keeping quality and eating quality also were noticeably improved by the inclusion of this liquid shortening emulsifier system.

5

Example 5

Liquid shortening emulsifier systems were prepared and subjected to taste panel testing, but no control cakes including other types of liquid shortening systems were simultaneously conducted. Cakes were prepared from three different liquid shortening emulsifier systems. The one which was judged to be best overall had the following formulation: 91.25% by weight of canola oil, 1% by weight of soybean hardfat, about 3.6% by weight of propylene glycol monoesters, 1.75% by weight diacetyl tartaric acid esters of mono-diglycerides, about .3% monoglycerides, and minor amounts of non-functional components. The second liquid shortening emulsifier system included 92% by weight of canola oil, 1% by weight of hardfat, about 2.4% by weight of propylene glycol monoesters, 2% succinic acid esters of mono-diglycerides, about 0.2% monoglycerides, and minor amounts of non-functional components. The third liquid shortening emulsifier system, which seemed to provide cakes that were the least moist of cakes prepared with these three liquid shortening emulsifier systems, had the following formulation: 92% by weight of canola oil, 1% by weight of hard fat, about 2.4% propylene glycol monoesters, 2% diacetyl tartaric acid esters of mono-diglycerides, about 0.2% monoglycerides, and minor amounts of non-functional components.

30

It will be understood that the embodiments of the present invention which have been described are illustrative of some of the applications of the principles of the present invention. Numerous modifications may be made by those skilled in the art without departing from the true spirit and scope of the invention as defined in the following claims.

35

-10-

What is Claimed is:

1. A liquid shortening emulsifier system for inclusion within batters for making cake bakery goods and other chemically leavened bakery goods, the shortening emulsifier system comprising:
 - 5 at least about 85% by weight of a vegetable oil composition, based upon the total weight of the liquid shortening emulsifier system;
 - about 10% or less of propylene glycol monoesters, based upon the total weight of a liquid shortening emulsifier system; and
 - 10 about 5% or less of polycarboxylic acid esters of mono-diglycerides, based upon the total weight of the liquid shortening emulsifier system;
 - whereby the liquid shortening emulsifier system enhances moistness of bakery goods which are baked from batters containing the liquid shortening emulsifier system.
2. The shortening system in accordance with claim 1, wherein the carboxylic acid moieties of the polycarboxylic acid esters of mono-diglycerides include at least 4 carbon atoms.
3. The shortening system in accordance with claim 1, wherein the carboxylic acid moieties of the polycarboxylic acid esters of mono-diglycerides include between 4 and about 12 carbon atoms.
4. The shortening system in accordance with claim 1, wherein the polycarboxylic acid esters of mono-diglycerides are selected from the group consisting of diacetyl tartaric acid esters of mono-diglycerides, succinic acid esters of mono-diglycerides, and combinations thereof.
- 5

-11-

5. The shortening system in accordance with claim 1, wherein the polycarboxylic acid esters of mono-diglycerides are diacetyl tartaric acid esters of mono-diglycerides.
6. The shortening system in accordance with claim 1, further comprising a weight ratio of the propylene glycol monoesters to the polycarboxylic acid esters of mono-diglycerides of between about 0.2:1 to about 6:1.
7. The shortening system in accordance with claim 6, wherein said weight ratio is between about 0.4:1 and about 4:1.
8. The shortening system in accordance with claim 4, further comprising a weight ratio of the propylene glycol monoesters to the polycarboxylic acid esters of mono-diglycerides of between about 0.2:1 to about 6:1.
9. The shortening system in accordance with claim 5, further comprising a weight ratio of the propylene glycol monoesters to the polycarboxylic acid esters of mono-diglycerides of between about 0.2:1 to about 6:1.
10. The shortening system in accordance with claim 1, wherein the propylene glycol monoesters are present at about 8% by weight or less, and the polycarboxylic acid esters of monoglycerides are present at about 4% by weight or less, based upon the total weight of the liquid shortening emulsifier system.
11. The shortening system in accordance with claim 1, wherein the propylene glycol monoesters are present

-12-

at about 5% or less based upon the total weight of the liquid shortening emulsifier system.

12. The shortening system in accordance with claim 1, wherein the vegetable oil composition includes a vegetable oil present at a level of at least about 90% by weight based upon the total weight of the liquid shortening emulsifier system.

13. The shortening system in accordance with claim 12, wherein the vegetable oil composition further includes a hardfat component present at a level of not greater than about 5% by weight based upon the total weight of the liquid shortening emulsifier system.

14. The shortening system in accordance with claim 13, wherein the weight ratio of liquid vegetable oil to hardstock is between about 200:1 and about 40:1.

15. Baked food products exhibiting enhanced moistness, both initially and under storage conditions, the baked food products having been baked from a formulation comprising:

about 80 weight percent or more of baking formulation components including flour, flavoring components and chemical leavening agents, based upon the total weight of the baking formulation, and about 20 weight percent or less of a liquid shortening emulsifier system, based upon the total weight of the baking formulation, wherein said liquid shortening emulsifier system includes:

at least about 85% of a vegetable oil composition, based upon the total weight of the liquid shortening emulsifier system;

-13-

about 10% or less of propylene glycol monoesters, based upon the total weight of the liquid shortening emulsifier system; and

20 about 5% or less of polycarboxylic acid esters of monoglycerides in which the carboxylic acid moiety has at least 4 carbon atoms.

16. The baked food product in accordance with claim 15, wherein the polycarboxylic acid esters of mono-diglycerides are selected from the group consisting of diacetyl tartaric acid esters of mono-
5 diglycerides, succinic acid esters of mono-diglycerides, and combinations thereof.
17. The baked food product in accordance with claim 15, wherein the polycarboxylic acid esters of mono-diglycerides are diacetyl tartaric acid esters of mono-diglycerides.
18. The baked food product in accordance with claim 16, wherein said weight ratio is between about 0.4:1 and about 4:1.
19. A method for baking bakery goods which are chemically leavened, such as cakes, and a manner whereby the bakery goods are of enhanced moistness, both initially and upon storage, the method comprising:
5 preparing a baking formulation including flour, chemical leavening and flavoring components;
 adding to the baking formulation a shortening system including at least about 85% of a vegetable oil composition, about 10% or less of propylene
10 glycol monoesters and about 5% or less of polycarboxylic acid esters of mono-diglycerides, all based upon the total weight of the liquid shortening emulsifier system; and

-14-

15 blending the liquid shortening emulsifier system
with and into the baking formulation, and baking the
resulting blended composition into a bakery good
exhibiting enhanced moistness.

20. The method in accordance with claim 19, wherein the
polycarboxylic acid esters of mono-diglycerides are
selected from the group consisting of diacetyl
tartaric acid esters of mono-diglycerides, succinic
5 acid esters of mono-diglycerides, and combinations
thereof.

21. The method in accordance with claim 19, further
comprising a weight ratio of the propylene glycol
monoesters to the polycarboxylic acid esters of mono-
diglycerides of between about 0.2:1 to about 6:1.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US92/03054

A. CLASSIFICATION OF SUBJECT MATTER

IPC(5) : A23D 9/00; A21D 13/08

US CL : 426/606,611,549,551,552,553,606,654

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. :

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US A, 4,456,626 (NELSON ET AL.) 26 June 1984, See column 2, lines 10-25.	1-21
Y	US, A, 4,826,699 (SOE) 02 May 1989, See column 7, lines 34-51 and Table 3a.	1-21
A	US, A, 2,614,937 (BAUR ET AL.) 21 October 1952.	
A	US, A, 4,310,556 (SUGGS ET AL.) 12 January 1982.	
A	US, A, 4,477,479 (JERVIS) 16 October 1984.	
A	US, A, 4,483,880 (KOIZUMI ET AL.) 20 November 1984.	
A	US, A, 4,680,184 (SEIDEN ET AL.) 14 July 1987.	
A	EP, A, 251,020 (OKUTOMI ET AL.) 07 January 1988.	

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	* T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
* A document defining the general state of the art which is not considered to be part of particular relevance	* X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
* E earlier document published on or after the international filing date	* Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
* L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	* G document member of the same patent family
* O document referring to an oral disclosure, use, exhibition or other means	
* P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

13 JULY 1992

Date of mailing of the international search report

03 SEP 1992

Name and mailing address of the ISA/ US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. NOT APPLICABLE

Authorized officer

For EVAN FEDERMAN

Telephone No. (703) 308-1977

THIS PAGE BLANK (USPTO)